

COVID-19 Actuarial Modelling of the Pandemic

Prepared by NMG Consulting
► Insight Report



Table of Contents

1. Multi-state actuarial model	3
1.1 Workings of the model	3
1.2 Reported data	4
1.3 Model recalibration	4
2. Forecast results	5
2.1 Results for Gauteng	5
2.2 Results for the Western Cape	6
2.3 Results for KwaZulu Natal	7
2.4 Results for the Eastern Cape	8
2.5 Combined results for South Africa	10

NMG, along with its directors, employees, associates, affiliates, or other representatives shall not be liable for damages or injury arising out of or in connection with the use of the information contained herein including without limitation to any compensatory, direct, indirect or consequential damages, loss of data, income or profit, loss of or damage to property under any contract, negligence, strict liability or other theory arising out of or relating in any way to the information provided.

Although NMG tries to ensure that all information provided herein is correct at the time of inclusion, NMG makes no representations or warranties as to the completeness or adequacy or accuracy of the information contained herein and expressly disclaims liability for any errors or omissions or delays in updating this information. The information is supplied on the condition the persons receiving the same will make their own determination as to its suitability for their purposes prior to use or in connection with the making of any decision, and any use of same at your own risk.

1. Multi-state actuarial model

NMG has built a multi-state actuarial model to forecast COVID-19 cases in a population and applied this model to the South African and other populations. The model can be calibrated to the latest reported South Africa experience to better understand how changes in the reported experience might impact on the longer-term outlook for the pandemic.

1.1 Workings of the model

The model assumes that the virus will move through a population where all individuals are initially equally susceptible to infection. In terms of the model, some individuals will come into contact with individuals infected with the virus and themselves become infected. Certain of these infected individuals will be hospitalised and some will die.

The model simulates how the virus moves through the South African population using parameters derived from international studies and local experience. The model is fit using the COVID-19 deaths reported for each of the nine provinces by using seed values for the starting infected population in each province as at 22 March 2020 and by adjusting the parameter that informs the speed of viral propagation in the population. The reported COVID-19 deaths are adjusted for underreporting using the Medical Research Council (MRC) data on all cause natural deaths as a guide.

A second fit was added to the model using COVID-19 hospital admissions reported to the National Institute for Communicable Diseases. The reporting on COVID-19 hospital admissions currently covers 99% of public and 100% of private hospital admissions.

1.2 Reported data

The reported COVID-19 deaths and hospital admissions used to fit the NMG model are graphed together in Figure 1.




Figure 1 Cumulative reported COVID-19 and hospital admissions – South Africa

The reported COVID-19 hospital admissions provide a useful indicator for identifying the start of a wave of COVID-19 infections, especially for those provinces where the reporting of COVID-19 deaths may be unreliable.

1.3 Model recalibration

NMG has updated the model to reflect the impact that the third wave of the SARS-CoV-2 virus has had in Gauteng and the other provinces. The levels of assumed population immunity following the third wave will impact in turn on the shape of a fourth wave (if any) in each of the provinces.

The recalibration of the NMG model is a dynamic process and will be revisited periodically.

2. Forecast results

NMG has updated its web-based version of the multi-state actuarial model that will allow interested parties to generate different COVID-19 forecast scenarios for the fourth wave in South Africa. The model can be accessed at <https://nmg-covid-19.sctechnology.co.za/>

2.1 Results for Gauteng

The reported COVID-19 admissions are compared against the recalibrated NMG model forecast in the graph below.




Figure 2 Forecast daily COVID-19 hospital admissions (7-day moving average) – Gauteng

The reported and unreported COVID-19 deaths are compared against the recalibrated NMG model forecast in the graph below.




Figure 3 Forecast daily COVID-19 deaths (7-day moving average) – Gauteng

2.2 Results for the Western Cape

The reported and unreported COVID-19 deaths in the Western Cape are compared against the recalibrated NMG model in the graph below.




Figure 4 Forecast daily COVID-19 deaths (7-day moving average) – Western Cape

The reported COVID-19 hospital admissions in the Western Cape are compared against the same recalibrated model in the graph below.




Figure 5 Forecast daily COVID-19 hospital admissions (7-day moving average) – Western Cape

2.3 Results for KwaZulu Natal

The reported and unreported COVID-19 deaths in KwaZulu Natal are compared against the recalibrated NMG model forecast in the graph below.




Figure 6 Forecast daily COVID-19 deaths (7-day moving average) – KwaZulu Natal

The reported COVID-19 hospital admissions in KwaZulu Natal are compared against the same recalibrated model in the graph below.




Figure 7 Forecast daily COVID-19 hospital admissions (7-day moving average) – KwaZulu Natal

2.4 Results for the Eastern Cape

The reported and unreported COVID-19 deaths in the Eastern Cape are compared against the recalibrated NMG model projections in the graph below.




Figure 8 Forecast daily COVID-19 deaths (7-day moving average) – Eastern Cape

The reported COVID-19 hospital admissions in the Eastern Cape are compared against the same recalibrated model in the graph below.




Figure 9 Forecast daily COVID-19 hospital admissions (7-day moving average) – Eastern Cape

2.5 Combined results for South Africa

The reported and unreported COVID-19 deaths in South Africa as a whole are compared against the recalibrated NMG model projections in the graph below.




Figure 10 Forecast daily COVID-19 deaths (7-day moving average) – South Africa

The reported COVID-19 hospital admissions in South Africa are compared against the same recalibrated model in the graph below.




Figure 11 Forecast daily COVID-19 hospital admissions (7-day moving average) – South Africa

Thank you

For more information,
visit www.nmg-consulting.com

LONDON • SINGAPORE • SYDNEY • TORONTO • CAPE TOWN • NEW YORK
